

U.S.S.N. 09/761,283

BEST AVAILABLE COPY

Claim Amendments

There are no amendments to the claims.

U.S.S.N. 09/761,283

Claims as Previously Presented

1. (previously presented) A method for operating a fabrication facility comprising:

providing a fabrication facility having a total available production capacity for producing at least one product;

allocating from the total available production capacity for producing the at least one product a first capacity for producing at least one specified product;

auctioning, while employing a computer based auction method, the first capacity for producing the at least one specified product to a pool of bidders comprising at least one bidder;

determining from the pool of bidders at least one winning bidder; and

fabricating, for the at least one winning bidder, a quantity of the at least one specified product from the manufacturing facility while employing the first capacity for producing the at least one specified product.

U.S.S.N. 09/761,283

2. (original) The method of claim 1 wherein the at least one product is selected from the group consisting of mechanical products, electrical products, chemical products and electro-mechanical products.

3. (original) The method of claim 1 wherein the at least one product is a microelectronic product selected from the group consisting of integrated circuit microelectronic fabrications, ceramic substrate microelectronic fabrications, solar cell optoelectronic microelectronic fabrications, sensor image array optoelectronic microelectronic fabrications and display image array optoelectronic microelectronic fabrications.

4. (original) The method of claim 1 wherein the first capacity for producing the at least one specified product is equal to the total available capacity for producing the at least one product.

5. (original) The method of claim 1 wherein the first capacity for producing the at least one specified product is less than the total available capacity for producing the at least one product.

6. (original) The method of claim 1 wherein the auction is selected from the group consisting of English auctions, Dutch

U.S.S.N. 09/761,283

auctions, reserve auctions, non-reserve auctions, sealed bid auctions and Vickrey auctions.

7. (original) The method of claim 1 wherein:
the first capacity for producing at least one specified product is less than the total available capacity for producing the at least one product; and
a winning auction price determined from the at least one winning bidder is employed for establishing a pricing of a non-auction capacity within the total available capacity for producing the at least one product.

8. (original) The method of claim 1 wherein the auction is undertaken employing as a moderator tool a distributed communications network.

9. (previously presented) A system for operating a fabrication facility comprising:

means for allocating within a fabrication facility, from a total available production capacity for producing at least one product within the fabrication facility, a first capacity for producing at least one specified product within the fabrication facility;

U.S.S.N. 09/761,283

means for auctioning, while employing a computer based auction method, the first capacity for producing the at least one specified product to a pool of bidders comprising at least one bidder;

means for determining from the pool of bidders at least one winning bidder; and

means for effecting fabrication, for the at least one winning bidder, of a quantity of the at least one specified product from the manufacturing facility while employing the first capacity for producing the at least one specified product.

10. (original) The system of claim 9 wherein the at least one product is selected from the group consisting of mechanical products, electrical products, chemical products and electro-mechanical products.

11. (original) The system of claim 9 wherein the at least one product is a microelectronic product selected from the group consisting of integrated circuit microelectronic fabrications, ceramic substrate microelectronic fabrications, solar cell optoelectronic microelectronic fabrications, sensor image array

U.S.S.N. 09/761,283

optoelectronic microelectronic fabrications and display image array optoelectronic microelectronic fabrications.

12. (original) The system of claim 9 wherein the first capacity for producing the at least one specified product is equal to the total available capacity for producing the at least one product.

13. (original) The system of claim 9 wherein the first capacity for producing the at least one specified product is less than the total available capacity for producing the at least one product.

14. (original) The system of claim 9 wherein the auction is selected from the group consisting of English auctions, Dutch auctions, reserve auctions, non-reserve auctions, sealed bid auctions and Vickrey auctions.

15. (original) The system of claim 9 wherein:

the first capacity for producing the at least one specified product is less than the total available capacity for producing the at least one product; and

a winning auction price determined from the at least one winning bidder is employed for establishing a pricing of a non-

U.S.S.N. 09/761,283

auction capacity within the total available capacity for producing the at least one product.

16. (original) The system of claim 9 wherein the auction is undertaken employing as a moderator tool a distributed communications network.

17. (previously presented) A method for enhancing a utilization of a microelectronic fabrication facility comprising:

providing a microelectronic fabrication facility having a total available production capacity for producing at least one product;

allocating from the total available production capacity for producing the at least one product a first capacity for producing at least one specified product;

auctioning, while employing a computer based auction method, the first capacity for producing the at least one specified product to a pool of bidders comprising at least one bidder;

determining from the pool of bidders at least one winning bidder; and

U.S.S.N. 09/761,283

fabricating, for the at least one winning bidder, a quantity of the at least one specified product from the microelectronic manufacturing facility while employing the first capacity for producing the at least one specified product.

18. (previously presented) The method of claim 17 wherein the auction is selected from the group consisting of English auctions, Dutch auctions, reserve auctions, non-reserve auctions, sealed bid auctions and Vickrey auctions.

19. (previously presented) The method of claim 17 wherein:

the first capacity for producing at least one specified product is less than the total available capacity for producing the at least one product; and

a winning auction price determined from the at least one winning bidder is employed for establishing a pricing of a non-auction capacity within the total available capacity for producing the at least one product.

20. (previously presented) The method of claim 17 wherein the auction is undertaken employing as a moderator tool a distributed

U.S.S.N. 09/761,283

communications network.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☒ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.